HOSPICE GUIDE - Palliative Performance Scale (PPS)

| PPS LEVEL | AMBULATION | ACTIVITY AND EVIDENCE OF DISEASE | SELF-CARE | INTAKE | CONSCIOUS LEVEL |
|--------------|----------------------|---|--------------------------------------|-------------------|---------------------------------|
| 100% | Full | Normal activity and work No evidence of disease | Full | Normal | Full |
| 90% | Full | Normal activity and work Some evidence of disease | Full | Normal | Full |
| 80% | Full | Normal activity with effort Some evidence of disease | Full | Normal or reduced | Full |
| 70% | Reduced | Unable to do normal jobor work Significant disease | Full | Normal or reduced | Full |
| 60% | Reduced | Unable to do hobby or house work Significant disease | Occasional assistance necessary | Normal or reduced | Full or confusion |
| 50% | Mainly Sit/Lie | Unable to do any work Extensive disease | Considerable assistance necessary | Normal or reduced | Full or confusion |
| 40% | Mainly in Bed | Unable to do most activities Extensive disease | Mainly assistance | Normal or reduced | Full or drowsy +/- confusion |
| 30% | Totally Bed Bound | Unable to do any activity Extensive disease | Total care | Normal or reduced | Full or drowsy +/- confusion |
| 20% | Totally Bed Bound | Unable to do any activity Extensive disease | Total care | Minimal to sips | Full or drowsy +/- confusion |
| 10% | Totally Bed Bound | Unable to do any activity Extensive disease | Total care | Mouth care only | Drowsy or coma +/- confusion |
| 0% | Death | - | - | - | - |



